

### Description

The SP446 features an optimized tread shape and special bi-compound, giving improved mileage and better fuel efficiency. The SP446 tire also has a directional tread design, which offers enhanced traction and low noise emission.

The SP446 tire is designed to deliver improved mileage and outstanding traction in both summer and winter conditions.

- Excellent winter mobility
- ✓ Improved fuel efficiency
- Reduced noise

## Benefits



Dual layer tread compound The tread features a top layer highly resistant against abrasion, a low-hysteresis bottom layer that minimizes rolling resistance. -> 10% higher mileage\*, low rolling resistance



Optimised groove and block design The disposition of the grooves and the size of the tread blocks are designed to provide an even stiffness distribution -> 10% higher mileage\*, good traction in wet conditions



Raindrop shape sipe channel Sipes designed with sharp corners exhibit concentrated stress levels due to block movement in service -> M+S and 3PMSF marking, sipes are robust against all service conditions



Directional tread pattern As the tread blocks are arranged along a V-shape, they gradually enter the footprint -> 10% higher mileage\*, extremely low noise emissions

#### Product details

315/60R22.5 152/148L 16 M+S, code: 568911



Marking
M+S Mud & Snow
TL Tubeless type

**EAN** 5452000424907

**Axis position** Drive

Load index 152

Speed index L <= 120 KM/H **Rim** 22.5

295/80R22.5 152/148M 16 M+S, code: 568909



Marking
M+S Mud & Snow
TL Tubeless type

**EAN** 5452000424884

**Axis position** Drive

Load index 152

Speed index M <= 130 KM/H

**Rim** 22.5

295/60R22.5 150K149L 16 M+S, code: 568907



Marking

M+S Mud & Snow
TL Tubeless type

**EAN** 5452000540980

Axis position Drive Load index 150

Speed index K <= 110 KM/H

**Load index 2** Speed index 2 Rim 149 L <= 120 KM/H 22.5

#### 315/70R22.5 154L152M 18 M+S, code: 568913



Marking
M+S Mud & Snow
TL Tubeless type

**EAN** 5452000541000

**Axis position** Drive

Load index 154

Speed index L <= 120 KM/H

Load index 2 152 Speed index 2 M <= 130 KM/H

**Rim** 22.5

315/80R22.5 156L154M 18 M+S, code: 568915



Marking

M+S Mud & Snow
TL Tubeless type

**EAN** 5452000541024

Axis position Drive Load index 156

Speed index L <= 120 KM/H

**Load index 2 Speed index 2 Rim** 154 M <= 130 KM/H 22.5

# Legal content

\*Predictive and actual tests made by Goodyear GIC\*L on size 315/80R22.5 show that the new DUNLOP SP446 drive tyre offers an improvement in mileage of up to 10% against the DUNLOP SP444 drive tyre. Actual results may vary based on, but not restricted to, road and weather conditions, tyre size, tyre pressure and vehicle maintenance.